



CHECKLIST OF LANDSCAPE PLANT MATERIALS FOR THE TANANA VALLEY

Compiled by

Patricia S. Holloway

Patricia J. Wagner

and

Grant E.M. Matheke

Contributors:

Agricultural and Forestry Experiment Station (AFES)

Pat Babcock

Sally Berry, (MG)

Rita Bodas

Lorilyn Boone, Big Dipper Gardens

Ed Bostrom, North Pole Acres

Janet Bradner

Susan Brook

Nancy Burnham, (MG)

Sally Burris (FNG)

Ida Burud

Phyllis Cox, (FNG)

Eloise DeWitt, (TOW)

Donald H. Dinkel, (AFES retired)

Betty Ernest

Fairbanks Garden Club, (FGC)

Forget-me-Not Garden Club, (FNG)

Robert Fox

Mindy Gallagher

Ginger Gauss, Ladyslipper Hill Project

Jana Belle Gordon

Pat Holloway, (AFES)

John Holm

Betty Huffman, (FNG)

Arvo Kallio, (AFES retired)

Nita Ledingham

Judy Lynch, (MG)

Master Gardener Program (MG)

Grant Matheke, (AFES)

Mid-Acres Garden Club, (MAG)

Michelle Peep, (CES)

Jan Plaquet, (FNG)

Roni Pruett, (MAG)

Joan Robson, (FGC and MG)

Joan Rockney

Betsy Sharp, (FNG)

Stephen Tack, Tacks Greenhouse

Top-of-the-World Garden Club (TOW)

Pat Wagner, (AFES)

Pat Werner, (FGC and MG)

THIS CHECKLIST IS NOT COMPLETE!

Compilation of this checklist began in January 1991. Our goal is to make this list as accurate as possible based upon the many years of experience of local gardeners, commercial growers, extension and research horticulturists. Have we overlooked something? Do you have positive or negative experiences with any of the listed plants? What growing conditions have worked well for you? This list will be updated annually, and we invite all of our readers to participate and add your name to our contributors. Study this list, make comments directly on it, and mail it to Pat Holloway 309 O'Neill Resources Building, UAF, Fairbanks AK 99775. We will send you an updated list next spring. Be sure to include your name, business or club affiliation and address.

RELIABLE: Plants listed in this category have been grown in formal gardens, wildflower meadows, and/or woodland gardens for many years in the Tanana Valley. Given proper cultural conditions and care, they should grow well.

CODE FOR	T = Tree	G = Ground cover or mat-former
PLANT	ST = Shrubby tree or tall shrub	E = Evergreen or semi-evergreen
FORM	S = Shrub	H = Herbaceous perennial
	B = Bulb	N = Native
	F = Fern	V = Vine

Scientific name	Common name	Form
<i>Achillea borealis</i>	Yarrow	H
<i>Achillea filipendulina</i>	Fernleaf Yarrow	H
(see WORTH TESTING list for other cultivars)		
<i>Achillea millefolium</i>	Common yarrow	H
‘Rosea’	Pink-flowered yarrow	H
(see WORTH TESTING list for other cultivars)		
<i>Achillea ptarmica</i> ‘The Pearl’	Sneezewort	H
<i>Actaea rubra</i>	Baneberry	H, N
<i>Aegopodium podagraria</i>	Snow-on-the-mountain	H
<i>Allium schoenoprasum</i>	Chives	H,N
<i>Alnus incana</i>	Mountain alder	S or ST, N
<i>Alnus crispa</i>	Green alder	S or ST, N
<i>Amelanchier alnifolia</i>	Saskatoon, serviceberry	S, N
(see WORTH TESTING list for other cultivars)		
<i>Anemone multifida</i>	Cut-leaf anemone	H
<i>Anemone narcissiflora</i>	Narcissus-flowered anemone	H,N
<i>Antennaria dioica</i>	Common pussytoes	H,G
<i>Aquilegia caerulea</i>	Colorado columbine	H
<i>Aquilegia formosa</i>	Sitka columbine	H,N
<i>Aquilegia x hybrida</i>	Columbine	H
‘Fairyland Mix’	H
‘Harlequin Mix’	H
‘McKanna’s Giant’	H
<i>Artemisia campestris</i> var. <i>borealis</i>	Northern wormwood	H,N
<i>Artemisia stelleriana</i>	Beach wormwood	S,G
<i>Arctostaphylos uva-ursi</i>	Kinnikinnick	G,N,E
<i>Arnica alpina</i> ssp. <i>attenuata</i>	Alpine arnica	H,N
<i>Arnica frigida</i>	Arctic arnica	H,N
<i>Aster alpinus</i>	Mountain daisy	H

Scientific name	Common name	Form
<i>Aster sibiricus</i>	Purple aster	H,N
<i>Athyrium filix-femina</i>	Lady fern	H,F,N
<i>Betula glandulosa</i>	Shrub birch	S, N
<i>Betula nana</i>	Dwarf birch	S, N
<i>Betula papyrifera</i>	Paper birch	T,N
<i>Campanula lasiocarpa</i>	Bluebell	H,N
<i>Campanula persicifolia</i>	Peach-leaved bellflower	H
<i>Campanula rotundifolia</i>	Bluebells-of-Scotland	H
<i>Caragana arborescens</i>	Siberian peashrub	S
<i>Centaurea montana</i>	Mountain bluet	H
<i>Chenopodium capitatum</i>	Strawberry spinach	H, N
<i>Chrysanthemum coccineum</i>	Painted daisy	H
(see WORTH TESTING list for more cultivars)		
<i>Cnidium cnidifolium</i>	Wild parsley	H,N
<i>Convallaria majalis</i>	Lily-of-the-valley	H,G
<i>Cornus (Chamaepericlymenum)</i>		
<i>canadensis</i>	Dward dogwood	G,E
<i>Cornus (Suida) stolonifera</i>	Redosier dogwood	S,N
<i>Cotoneaster acutifolia</i>	Peking cotoneaster	S
<i>Delphinium elatum</i>	Delphinium	H
‘Belladonna’	H
‘Blue Elf’ (dwarf)	H
King Arthur Series	H
‘Magic Fountains Mix’	H
‘Pacific Coast Hybrids’	H
‘Sutton’s Special Mix’	H
<i>Elaeagnus commutata</i>	Silverberry	S,N
<i>Epilobium angustifolium</i>	Fireweed	H, N
<i>Erigeron glabellus</i> ssp. <i>pubescens</i>	Fleabane	H,N
<i>Fragaria</i> x Sitka hybrid	Sitka hybrid strawberry	H,G
<i>Fragaria virginiana</i>	Wild strawberry	H,G, N
<i>Fragaria</i> x <i>virginiana</i>	Hybrid strawberries	H,G
‘Pioneer’	H,G
‘Toklat’	H,G
<i>Fritillaria camschatcensis</i>	Chocolate lily	H,B,N
<i>Galium boreale</i>	Bedstraw	H,N
<i>Geranium erianthum</i>	Wild geranium	H,N

Scientific name	Common name	Form
<i>Hedysarum alpinum</i>	Wild potato	H,N
<i>Hedysarum mackenzii</i>	Wild sweetpea	H,N
<i>Heracleum lanatum</i>	Cow parsnip	H,N
<i>Heuchera sanguinea</i>	Coral bells	H
<i>Hieracium umbellatum</i>	Yellow hawkweed	H,N
<i>Iris setosa</i> ssp. <i>interior</i>	Wild iris	H,N
<i>Juniperus communis</i>	Common juniper	S, N,E
<i>Juniperus horizontalis</i>	Creeping juniper	G,N,E
'Bar Harbor'		G,E
'Wiltonii'	Blue Rug juniper	G,E
'Yukon Belle'		G,N,E
<i>Larix laricina</i> ssp. <i>alaskensis</i>	Tamarack	T,N
<i>Larix sibirica</i>	Siberian Larch	T
<i>Ledum palustre</i>	Labrador tea	S,N,E
<i>Lilium</i> sp.	Asiatic hybrid lilies	H,B
'Apricot Glow'		H,B
'Enchantment' Midcentury hybrid		H,B
Fiesta Hybrids		H,B
'Prosperity'		H,B
	(see WORTH TESTING list for more cultivars)	
<i>Lilium</i> sp.	Martagon hybrid lilies	H,B
Paisley Hybrids		H,B
<i>Linaria vulgaris</i>	Butter-and-eggs	H,N
<i>Linum perenne</i> ssp. <i>Lewisii</i>	Blue flax	H,N
<i>Lonicera caerulea</i>	Sweetberry honeysuckle	S
<i>edulis</i>		S
<i>Lonicera tatarica</i>	Tatarian honeysuckle	S
<i>Lychnis chalconica</i>	Maltese cross	H
<i>Malus baccata</i>	Siberian crabapple	T
<i>Matteuccia streuthiopteris</i>	Ostrich fern	H, F,N
<i>Mertensia paniculata</i>	Bluebell	H,N
<i>Myosotis alpestris</i>	Forget-me-not	H,N
<i>Oxytropis campestris</i>	Northern oxytrope	H,N
<i>Oxytropis splendens</i>	Splendid oxytrope	H,N
<i>Paeonia</i> sp.	Peony	H
'Edulis Superba'		H

Scientific name	Common name	Form
'Festiva Maxima'		H
'Karl Rosenfield'		H
'Sarah Bernhardt'		H
(see WORTH TESTING list for more cultivars)		
<i>Papaver orientale</i>	Oriental poppy	H
(see WORTH TESTING list for more cultivars)		
<i>Picea glauca</i>	White spruce	T,N,E
<i>Picea mariana</i>	Black spruce	T,N,E
<i>Polemonium acutiflorum</i>	Jacob's ladder	H,N
<i>Polemonium pulcherrimum</i>	Dwarf Jacob's ladder	H,N
<i>Polygonum alaskanum</i>	Wild rhubarb	H,N
<i>Polygonum bistorta</i>	Pink plumes	H,N
<i>Populus tremuloides</i>	Quaking aspen	T,N
<i>Potentilla anserina</i>	Silverweed	H,G,N
<i>Potentilla fruticosa</i>	Cinquefoil, tundra rose	S,N
'Friederichsenii'		S
'Gold Drop'		S
<i>Potentilla villosa</i>	Hairy cinquefoil	H, N
<i>Primula incana</i>	Wild primrose	H,N
<i>Prunus padus</i>	European birdcherry	T
<i>Prunus virginiana</i>	Chokecherry	T or ST
'Canada Red'	Canada Red chokecherry	T
'Shubert'	Shubert chokecherry	T
<i>Pyrus ussuriensis</i>	Ussurian pear	T or ST
<i>Rheum rhabarbarum</i>	Rhubarb	H
'Canada Red'		H
'Canada Red' Chipman's strain		H
'Cherry'		H
'Strawberry'		H
<i>Ribes triste</i>	Red currant	S, N
'Holland Long Bunch'		S
'Red Lake'		S
<i>Ribes nigrum</i>	Black currant	S,N
'Swedish Black'		S
<i>Rosa acicularis</i>	Wild rose	S,N
<i>Rosa spinosissima</i> 'Altaica'	Altai Scotch rose	S

Scientific name	Common name	Form
<i>Rubus arcticus</i>	Nagoonberry	H, G, N
<i>Salix bebbiana</i>	Bebb Willow	T or ST, N
<i>Salix lasiandra</i>	Willow	S,N
<i>Sanguisorba officinalis</i>	Official burnet	H,N
<i>Sedum rosea</i>	Roseroot	H,N,G
<i>Shepherdia canadensis</i>	Soapberry	S,N
<i>Solidago multiradiata</i>	Goldenrod	H,N
<i>Sorbaria sorbifolia</i>	False spiraea	S
<i>Spiraea stevenii</i> (beauverdiana)	Alaska spiraea	S,N
<i>Spiraea x vanhouttei</i>	Vanhoutte spiraea	S
<i>Symphytum officinale</i>	Comfrey	H
<i>Syringa villosa</i>	Late lilac	S or ST
<i>Thalictrum alpinum</i>	Meadowrue	H,N
<i>Thalictrum aquilegifolium</i>	Meadowrue	H
<i>Trientalis europea</i>	Starflower	H,N
<i>Trollius europaeus</i>	European trollius	H
<i>Trollius asiaticus</i>	Asiatic trollius	H
<i>Tulipa tarda</i>	Tarda tulip	H,B
<i>Veronica incana</i>	Wooly Speedwell	H
<i>Viburnum edule</i>	Highbush cranberry	S,N
<i>Viola</i> sp.	White violet	H,G
<i>Zygadenus elegans</i>	Death camas	H,N

CHALLENGING: The plants in this category have been grown successfully in the Tanana Valley, but they have extra special requirements such as winter protection, wet sites, acid soils, etc.

CODE FOR PLANT FORM	T = Tree	G = Ground cover or mat-former
	ST = Shrubby tree or tall shrub	E = Evergreen or semi-evergreen
	S = Shrub	H = Herbaceous perennial
	B = Bulb	N = Native
	F = Fern	V = Vine

CODE FOR SPECIAL REQUIREMENTS	W = Winter protection, especially when first planted or when young
	A = Acid soils
	WG = Water garden
	SH = Shade or partial shade
	R = Rock garden
	NS = Seed or plant source is important. Buy from reliable, knowledgeable nurseries.
	WS = Wet or moist sites
	C = Warmest sites only
	T = Difficult to transplant
	MS = Well drained, but uniformly moist soils

Scientific name	Common name	Form	Requirements
<i>Acer ginnala</i>	Amur maple	S	W,C
<i>Aconitum delphinifolium</i>	Monkshood	H	SH,T
<i>Androsace chamaejasme</i>	Rockjasmine	G,N	R,MS
<i>Caltha palustris</i>	Marsh marigold	H	WG
<i>Calypso bulbosa</i>	Calypso orchid	H	A,SH
<i>Chrysanthemum maximum</i>	Shasta daisy	H	W,C
'Alaska'	H	W,C
<i>Delphinium glaucum</i>	Wild delphinium	H,N	C
<i>Dicentra spectabilis</i>	Bleeding heart	H	MS,SH
<i>Dodecatheon frigidum</i>	Shooting star	H, N	SH,WS
<i>Dryas octopetala</i>	Dryas	G,N	R
<i>Eriophorum</i> sp.	Alaska cotton	H	WS
<i>Fragaria chiloensis</i>	Beach Strawberry	G,N	NS,W
<i>Hemerocallis</i> sp.	Daylily	H	NS
<i>Lupinus arcticus</i>	Arctic lupine	H,N	T,C
<i>Myrica gale</i>	Sweet gale	S,N	WS,A
<i>Nymphaea tetragona</i>	Dwarf water lily	H,N	WG
<i>Pinus contorta</i> var. <i>latifolia</i>	Lodgepole pine	T, N,E	NS,W
<i>Pinus mugo</i>	Mugo pine	S,E	NS,W
<i>mughus</i>	Dwarf mugo pine	S,E	NS,W
<i>Pinus sylvestris</i>	Scotch pine	T,E	NS,W
<i>Prunus besseyi</i>	Western sand cherry	S	C, W

Scientific name	Common name	Form	Requirements
<i>Prunus maackii</i>	Amur chokecherry	T	NS
<i>Prunus tomentosa</i>	Nanking cherry	S	C
<i>Prunus triloba</i>	Russian almond	S	C
<i>Pulsatilla patens</i>	Pasqueflower	H, N	T
<i>Rhododendron lapponicum</i>	Lapland rosebay	G,E,N	A, R
<i>Ribes grossularia</i> 'Pixwell'	Pixwell gooseberry	S	W,C
<i>Rosa rugosa</i>	Rugosa rose	S	W,C
'Betty Bugnet'		S	W,C
'Hansa'		S	W,C
'Therese Bugnet'		S	W,C
<i>Salix reticulata</i>	Netleaf willow	G	R
<i>Saxifraga oppositifolia</i>	Purple mountain saxifrage	G	WS
<i>Scilla sibirica</i>	Siberian squill	H,B	C
<i>Silene acaulis</i>	Moss campion	G,N	R
<i>Sorbus aucuparia</i>	European mountain	S or ST	W,NS
<i>Sorbus scopulina</i>	Western Mountain Ash	S	NS
<i>Thalictrum sparsiflorum</i>	Meadowrue	H,N	SH
<i>Tulipa</i> sp.	Tulips	H,B	C,W
<i>Vaccinium vitis-idaea</i>	lingonberry	G,E	A

WORTH TESTING: Plants in this category have been grown successfully by one or more individuals in the Tanana Valley. Testing may be limited, our information is not complete, or we have received conflicting reports of their success. They are worth planting on a trial basis for those interested in experimenting.

CODE FOR PLANT FORM	T = Tree	G = Ground cover or mat-former
	ST = Shrubby tree or tall shrub	E = Evergreen or semi-evergreen
	S = Shrub	H = Herbaceous perennial
	B = Bulb	N = Native
	F = Fern	V = Vine

CODE FOR SPECIAL REQUIREMENTS	W = Winter protection, especially when first planted or when young
	A = Acid soils
	WG = Water garden
	SH = Shade or partial shade
	R = Rock garden
	NS = Seed or plant source is important. Buy from reliable, knowledgeable nurseries.
	WS = Wet or moist sites
	C = Warmest sites only
	T = Difficult to transplant
	MS = Well drained, but uniformly moist soils

Scientific name	Common name	Form	Requirements
<i>Abies sibirica</i>	Siberian fir	T,E	
<i>Acer negundo</i>	Boxelder	T or ST	
<i>Achillea</i> sp.	Yarrow	H	
'Little Beauty Gold'		H	
'Rose Beauty'		H	
<i>Achillea filipendulina</i>	Fern-leaf yarrow	H	
'Coronation Gold'		H	
'Golden Plate'		H	
<i>Achillea millefolium</i>	Common yarrow	H	
'Cerise Queen'		H	
'Fireking'		H	
<i>Aconitum Carmichaelii</i>	monkshood	H	
<i>Aconitum napellus</i>	Aconite monkshood	H	
'Bicolor'		H	
'Newry Blue'		H	
<i>Allium</i> sp.	Ornamental alliums	H,B	NS
<i>Amelanchier alnifolia</i>	Saskatoon	S	
'Northline'	Northline saskatoon	S	
'Pembina'	Pembina saskatoon	S	
'Regent'	Regent saskatoon	S	
<i>Anemone parviflora</i>	Windflower	H	

Scientific name	Common name	Form	Requirements
<i>Antennaria alpina</i>	Alpine pussy-toes	G,N	
<i>Antennaria dioica</i> 'Rosea'	Pink-flowered pussy-toes	H,G	
<i>Antennaria tometosa</i>	Pussy toes	H	
<i>Aquilegia flabellata</i>	Fan columbine	H	
'Ministar'		H	
'Nana-Alba'		H	
<i>Aquilegia vulgaris</i>	European columbine	H	
<i>Aquilegia x hybrida</i>	Columbine	H	
'Spring Song'		H	
<i>Arabis alpina</i>	Snow cape	H	
<i>Armeria maritima</i>	Common thrift	H,N	
<i>Artemisia frigida</i>	Prairie sagewort	G,N	
<i>Artemisia Schmidtiana</i> 'Silver Mound'	Wormwood	H	
<i>Aruncus sylvestris</i>	Goatsbeard	H,N	
<i>Asperula odorata</i>	Sweet woodruff	H	SH,MS
<i>Bergenia cordifolia</i>	Heartleaf bergenia	G,E	
<i>Bupleurium triradiatum</i> ssp.			
<i>arcticum</i>	Thoroughwax	H,N	
<i>Campanula glomerata</i> var <i>acaulis</i>	Dwarf clustered bellflower	H	
<i>Campanula glomerata</i>	Clustered bellflower	H	
'Superba'		H	
<i>Chrysanthemum arcticum</i>	Arctic chrysanthemum	H,N	
<i>Chrysanthemum coccineum</i>	Painted Daisy	H	
'Robinson'		H	
'Roseum'		H	
<i>Chrysanthemum maximum</i>	Shasta daisy	H	W,C
'Silver Queen'		H	W,C
'Silver Princess'		H	W,C
'Starburst'		H	W,C
<i>Chrysanthemum Parthenium</i>	Feverfew	H	
<i>Clematis integrifolia</i>	Solitary clematis	V	W
<i>Clematis tangutica</i>	Golden clematis	V	W
<i>Corydalis sempervirens</i>	Rock Harlequin	H	
<i>Crataegus succulenta</i>	Fleshy hawthorn	T	
<i>Crataegus rivularis</i>	Hawthorn	T	
<i>Delphinium grandiflorum</i>	Chinese Delphinium	H	
<i>Dianthus alpinus</i>	Alpine pink	H	

Scientific name	Common name	Form	Requirements
'Allwoodii'		H	
<i>Dianthus deltooides</i>	Maiden pink	H	
'Brilliant'		H,G	
'Flashing Light'		H,G	
'Splendens'		H,G	
<i>Dianthus plumarius</i>	Cottage Pink	H	
'Orchid Lace'		H	
'Snowfire'		H	
'White Charm'		H	
<i>Doronicum caucasicum</i>	Leopardsbane	H	
<i>Dryas integrifolia</i>	Mountain avens	G,N	
<i>Filipendula hexapetalum</i>	'Florepleno' Double dropwort	H	
<i>Forsythia</i> sp. 'Northern Sun'	Forsythia	S	C,W
'Northern Gold'		S	C,W
<i>Forsythia ovata</i> 'Nakai'	Forsythia	S	C,W
<i>Forsythia mandshurica</i>	'Vermont Sun' Forsythia	S	C,W
<i>Fragaria</i>	'Baron Solemacher' Strawberry	H,G	
<i>Gentiana barbata</i>	Bearded gentian	H,N	
<i>Gentiana septemfida</i>	Gentian	H	
<i>Helenium Bigelovii</i>	Bigelow Sneezeweed	H	
<i>Helenium Hoopesii</i>	Orange Sneezeweed	H	
<i>Hemerocallis fulva</i>	Eastern daylily	H	
<i>Hesperis Matronalis</i>	Dame's Rocket	H	
<i>Hieracium aurantiacum</i>	Orange hawkweed	H	
<i>Iris sibirica</i>	Siberian iris	H	
<i>Lamium</i> sp.	Lamium	G	C
<i>Larix dahurica</i>	Dahurian larch	T	
<i>Larix sakazawei</i>	Larch	T	
<i>Leontopodium alpinum</i>	Edelweiss	H	
<i>Levisticum officinale</i>	Lovage	H	
<i>Liatris spicata</i>	Blazing Star	H	
'Snowflake'	Blazing Star	H	
<i>Lilium</i> sp.	Hybrid lily	H,B	
'Brenda Watts'		H,B	
'Buff'		H,B	
Burgundy Strain		H,B	

Scientific name	Common name	Form	Requirements
'Connecticut King'		H,B	
'Connecticut Yankee'		H,B	
'Corsica'		H,B	
'Dayspring'		H,B	
'Dreamland'		H,B	
'Firecracker'		H,B	
'Jasper'		H,B	
'Joan Evans'		H,B	
'Juliana'		H,B	
'Lemon Queen'		H,B	
'Lovesong'		H,B	
'Lyla McCann'		H,B	
Midcentury hybrids			
'Cinnabar'		H,B	
'Destiny'		H,B	
'Enchantment'		H,B	
'Paprika'		H,B	
'Redbird'		H,B	
'Red Velvet'		H,B	
'Sterling Star'		H,B	
'True Grit'		H,B	
'Yolanda'		H,B	
'Zeus'		H,B	
<i>Lilium</i> sp.	Martagon Hybrid lilies	H,B	
'Backhouse' hybrids			
<i>Lilium cernuum</i>	Nodding lily	H,B	
<i>Lilium concolor</i>	Morningstar lily	H,B	
<i>Lilium Davidii</i>	Chinese lily	H	W
<i>Lilium lancifolium</i>	'Prawn Tiger' Tiger lily	H,B	
<i>Lilium pensylvanicum</i>	Candlestick lily	H	W
<i>Lilium pumilum</i>	Siberian coral lily	H,B	
<i>Lilium superbum</i>	Turkcap lily	H,B	
<i>Lilium x umbellatum</i>		H,B	
<i>Lupinus nootkatensis</i>	Coastal lupine	H,N	C
<i>Lupinus polyphyllus</i>	Native lupine	H,N	
<i>Lonicera tatarica</i>	'Beavermor' Beavermor honeysuckle	S	W
'Zabelii'	Zabeli honeysuckle	S	W

Scientific name	Common name	Form	Requirements
<i>Lychnis coronaria</i>	Rose Champion	H	
<i>Lychnis x haageana</i>		H	
<i>Lychnis Viscaria</i>	German Catchfly	H	
'Splendens'	Pink German Catchfly	H	
<i>Lythrum Salicaria</i> 'Roseum Superbum'	Purple Loosestrife	H	
<i>Malus</i> sp.	Crabapple	T	W,NS
'Dolgo'		T	W,NS
'Kerr'		T	W,NS
'Royalty'		T,	W,NS
'Trailman'		T	W,NS
<i>Meconopsis betonicifolia</i>	Blue poppy	H	
<i>Mertensia virginica</i>	Virginia bluebell	H	
<i>Monarda didyma</i>	Bee balm	H	
<i>Muscari armeniacum</i>	Grape hyacinth	B,H	C
<i>Muscari</i> sp.	Grape hyacinth	H,B	
<i>Myrrhis odorata</i>	Sweet cicely	H	SH,MS
<i>Paeonia</i> sp.	Peony	H	
'Charm'		H	
'Edulis Supreme'		H	
'Elsa Sass'		H	
'Emma Khlem'		H	
'First Lady'		H	
'Kansas'		H	
'Lowell Thomas'		H	
'Martha Bullock'		H	
'Mr. Thimm'		H	
'Mrs. F.D. Roosevelt'		H	
'Moonstone'		H	
'Pink Lemonade'		H	
'Red Charm'		H	
'Seashell'		H	
<i>Papaver orientale</i>	Oriental poppy	H	
'Princess Victoria'		H	
'Prince of Orange'		H	
'Brilliant'		H	
'Beauty of Livermore'		H	
<i>Papaver Hultenii</i>	Yellow poppy	H,N	

Scientific name	Common name	Form	Requirements
<i>Physalis alkekengi</i>	Chinese lantern plant	H	
<i>Physocarpus opulifolius</i>	Eastern ninebark	S	W
<i>Physocarpus monogynus</i>	Mountain Ninebark	S	
<i>Picea abies</i> 'Nidiformis'	Nest Spruce	S,E	
<i>Pinus banksiana</i>	Jack pine	T,E	NS
<i>Pinus cembra</i>	Swiss stone pine	T,E	NS,W
'Sibirica'		T,E	NS
<i>Pinus flexilis</i>	Limber pine	T,E	NS
<i>Platycodon grandiflorum</i>	Balloonflower	H	
var. <i>mariesii</i>	Japanese Bellflower	H	
<i>Potentilla atrosanguinea</i>	Himalayan cinquefoil	G	
<i>Potentilla biflora</i>	Two-flowered cinquefoil	H	
<i>Potentilla fruticosa</i>	Cinquefoil cultivars	S	
'Coronation Gold'		S	
'Goldfinger'		S	
<i>Potentilla nepalensis</i>	Nepal Cinquefoil	H	
'Miss Willmott'		H	
'Roxana'		H	
<i>Potentilla tridentatum</i>		G	
<i>Prunus pennsylvanica</i>	Pin cherry	T or ST	NS
<i>Pyrola grandiflora</i>	Wintergreen	H,N,E	
<i>Rosa foetida</i>	Austrian copper rose	S	
<i>Rosa</i> sp. 'Killwinning'		S	
'Butterball'		S	
<i>Rosa rubrifolia</i>	Redleaved rose	S	W
<i>Saxifraga bronchialis</i>	Spotted saxifrage	G,N	
<i>Sedum acre</i>	Goldmoss stonecrop	G	
<i>Sedum kamtschaticum</i>	Kamchatka sedum	G	
<i>Spiraea media</i> 'Sericea'		S	
<i>Spiraea trichocarpa</i>	Korean spiraea	S	
<i>Stellaria monantha</i>	Starwort	G	
<i>Syringa x prestoniae</i>	Preston hybrid lilacs	S	
'James MacFarlane'		S	W
'Royalty'		S	
<i>Tradescantia virginiana</i>	Widow's tears	H	
<i>Trollius ledebourii</i>	Ledebouri trollius	H	
'Golden Queen'		H	

Scientific name	Common name	Form	Requirements
'New Hybrids Mixed'		H	
<i>Ulmus pumila</i>	Siberian elm	T,NS	
<i>Verbascum phoeniceum</i>	Purple Mullein	H	
<i>Veronica latifolia</i>	Hungarian speedwell	H	
'Royal Blue'		H	
'Shirley Blue'		H	
<i>Veronica longifolia</i>	Speedwell	H	
'Blue Gigantess'		H	
<i>Veronica repens</i>	Creeping speedwell	H	
<i>Veronica spicata</i>	Spike speedwell	H	
'Alba'		H	
'Rosea'		H	
<i>Viburnum trilobum</i>	Highbush cranberry	S	

